

Module 8

Flexbox

> *_Example content creating two box container_*

- flex-grow used to make one container bigger than other

Grid

> *_Example content creating a calendar_*

- ``grid-template-columns``

Media Query

- Media query is used to apply a set of styles based on the browser's width height, or screen

- ``flex-wrap:wrap`` do the container flexible and responsive without using media query.

- ``flex-wrap:wrap`` causes flex items to be laid out on multiple lines rather than just one when display size shrinks

...

```
@media (max-width){  
*css code snippets*  
}
```

```
@media (min-width){  
*css code snippets*
```

```
}  
` ``
```

- ``max-width`` define when screen width is in between (0 to max width value) then the given CSS properties works.

- ``min-width`` define when screen width is in between (min width value to upper) then the given CSS properties works.

Relative Position and Flexbox

> *__Example content creating a image gallery__*

- Percent depends on the parent elements.

- ``Absolute Positioned`` element goes out of flow and sets it's position in a parents container where ``position relative`` is define

- Lastly used Flex wrap to fill up the images properly inside desktop window.

Transition and Transform in photo Album

- In ``transform: skew`` (+) degree skew the content anti-clockwise and (-) degree skew the content clockwise

- Transition allow you to change property values smoothly over a given duration.

Some Common CSS Property We use Most

- ``align-content`` not used till now
- ``align-items`` used in flex to fix alignment vertically
- ``animation``
- ``background-color``, ``background-position``,
``background-repeat``
- ``border``
- ``border collapse``
- ``border-image``
- ``box-shadow``
- ``caption-side`` to use table caption below.
- ``column-count`` to make a paragraph looks like a newspaper column type content
- ``content`` is used in ``after & before`` element
- ``cursor``
- ``display``
- ``direction`` fix the direction of writing
- ``flex`` → ``flex-basis`` (not used), ``flex-grow``,
``flex-direction``, ``flex-flow`` (not used),
``flex-shrink`` (not used), ``flex-wrap``
- ``font-style``
- ``font-weight``
- ``height``
- ``justify-content`` used in flex to fix alignment horizontally.
- ``letter-spacing`` to control space between text.
- ``line-height`` to control space between text line.
- ``list-style``
- ``list-style-image``
- ``margin``
- ``max-height``
- ``max-width``
- ``opacity`` (not used)

- ``order`` used in flex to fix up the order of the flex elements.
- ``overflow``
- ``padding``
- ``position``
- ``text-align``
- ``text-decoration``
- ``text-overflow`` to ellipses to make a text fit a short container and use a tooltip attribute to show the full content.
- ``text-shadow`` (not used)
- ``transform``
- ``transition``
- ``vertical-align``
- ``visibility``
- ``white-space``
- ``width``
- ``z-index``
- ``word-wrap``